

Laucks ⁸² YEARS

Testing Laboratories, Inc.

940 South Harney St., Seattle, WA 98108 (206) 767-5060 FAX 767-5063

Chemistry, Microbiology, and Technical Services

REPORT ON SAMPLE: 9102047-02A
Client Sample ID: Acid Yard Sludge

Date Received : 02/05/91 Collection Date : N/A
Test Code : TCLP_M Date Extracted : 02/05/91

Extracted by the Toxic Characteristic Leaching Procedure (TCLP), Method 1311, Test Methods for Evaluating Solid Waste, U.S.E.P.A., 3rd edition. Metals were determined on the aqueous extract using either the EPA's 7000 series or EPA Method 6010 or a combination of both.

mg/L

Analyte	Result	MCL	SDL	Analysis Date
Silver	0.10 U	5.0	0.10	02/07/91
Barium	0.60	100.	0.10	02/07/91
Cadmium	0.010 U	1.0	0.01	02/08/91
Lead	0.10 U	5.0	0.10	02/07/91
Chromium	5.9	5.0	0.10	02/07/91
Selenium	0.20 U	1.0	0.20	02/07/91
Arsenic	0.20 U	5.0	0.20	02/07/91
Mercury	0.005 U	0.2	0.005	02/13/91

MCL = Maximum Contamination Level, as established by regulation.

SDL = Sample Detection Limit

Charter Member American Council of Independent Laboratories

AKC-0014444

Laucks⁸² years

Testing Laboratories, Inc.

940 South Harney St., Seattle, WA 98108 (206) 767-5060 FAX 767-5063

Chemistry, Microbiology, and Technical Services

REPORT ON WORK ORDER 9102047 PREPARATION BLANKS

Test : Silver (Method 6010)
Blank Name : B0206ICP_T01 Preparation Date: 02/06/91
Conc Found : 0.100 U Control Limit : 0.200
Units : mg/L

This blank and comments, if any, apply to the following sample(s):
1

Test : Barium (Method 6010)
Blank Name : B0206ICP_T01 Preparation Date: 02/06/91
Conc Found : 0.200 Control Limit : 0.200
Units : mg/L

This blank and comments, if any, apply to the following sample(s):
1

Test : Cadmium (Method 6010)
Blank Name : B0206ICP_T01 Preparation Date: 02/06/91
Conc Found : 0.010 U Control Limit : 0.020
Units : mg/L

This blank and comments, if any, apply to the following sample(s):
1

Test : Chromium (Method 6010)
Blank Name : B0206ICP_T01 Preparation Date: 02/06/91
Conc Found : 0.100 U Control Limit : 0.200
Units : mg/L

This blank and comments, if any, apply to the following sample(s):
1

Charter Member American Council of Independent Laboratories

AKC-0014445

Laucks⁸²_{WAUS}

Testing Laboratories, Inc.

940 South Harney St., Seattle, WA 98108 (206) 767-5060 FAX 767-5063

Chemistry, Microbiology, and Technical Services

REPORT ON WORK ORDER 9102047 PREPARATION BLANKS

Test : Lead (Method 6010)
Blank Name : B0206ICP_T01 Preparation Date: 02/06/91
Conc Found : 0.100 U Control Limit : 0.200
Units : mg/L

This blank and comments, if any, apply to the following sample(s):

1

Test : Arsenic (Method 6010)
Blank Name : B0206ICP_T01 Preparation Date: 02/06/91
Conc Found : 0.200 U Control Limit : 0.400
Units : mg/L

This blank and comments, if any, apply to the following sample(s):

1

Test : Selenium (Method 6010)
Blank Name : B0206ICP_T01 Preparation Date: 02/06/91
Conc Found : 0.200 U Control Limit : 0.400
Units : mg/L

This blank and comments, if any, apply to the following sample(s):

1

Test : Mercury (Method 7470)
Blank Name : B0213HGW01 Preparation Date: 02/13/91
Conc Found : 0.005 U Control Limit : 0.010
Units : mg/L

This blank and comments, if any, apply to the following sample(s):

2

Charter Member American Council of Independent Laboratories

AKC-0014446